



CONVERT BIGUANIDE POOLS TO CHLORINE



2 LBS. TREATS UP TO 10,000 GALLONS

- **NO NEED TO DRAIN**
- **EASY TO USE**
- **QUICK CONVERSION (5-7 DAYS)**
- **SWIM DURING CONVERSION**

Conversion Instructions:

For best results stop adding biguanide to the pool, and allow levels to drop several weeks prior to conversion.

(25ppm or lower is recommended)

1. **Clean the filter**—biguanide can clog filters and leave a chemical residue that reacts with chlorine.
2. **Ensure proper filtration & no algae present**— pump and filter must be operated continually during the conversion.
3. **If necessary adjust balance:** pH to 7.2-7.6 / Total Alkalinity to 80-120ppm
4. **Add 2 lb. OXY SPLASH™ per 10,000 gallons of pool water and a 3" chlorine tablet to each skimmer.** continue to replace tablets once eroded until the conversion is complete.
5. **Clean/backwash filter after 3 days**— debris may be present on the surface of the water, skim to remove.
6. **Test biguanide levels after 7 days**— if biguanide is still present, repeat step 4 and 5.
7. **Once biguanide is no longer present replace sand, cartridge or D.E. filter media**
8. **Start traditional sanitizer program**

Do Not Shock the Pool with Chlorine for 2 Weeks After Conversion



apiwater.com

OXY SPLASH not Available in California



20220801 BP © API 2022 | All rights reserved.